£3
J8

JUMPERS & COATS

10 DESIGNS
All made in Golden Eagle Knitting Wools

PRESENTED *with* HOME NOTES OCTOBER 16th, 1937

THE COVER DESIGN

IN spite of its highly professional-looking pattern, you'll find this jumper quite easy to knit. It will do duty on a variety of occasions and with many different outfits, too.

Materials.—8 oz. "Golden Eagle" Polynit Fingering de Luxe, 3-ply. A pair each of No. 11 and No. 9 "Stratnoid" knitting needles.

Measurements.—Length from shoulder, 19 ins. Width all round at underarms, 35 ins. Sleeve seam, 18 ins.

Tension.—Worked at a tension to produce 7 sts. in width and 8 rows in depth to one inch.

THE BACK.—Using No. 11 needles, cast on 111 sts. 1*st row*—Sl. 1, * k. 1, p. 1, rep. from * to end of row. 2*nd row*—Sl. 1, * p. 1, k. 1, rep. from * to end of row. Rep. these 2 rows 14 times more (30 rows). Change to No. 9 needles and work ptn.

1*st row*—* (p. 3, k. 3) twice, p. 3, moss-st. 9. Rep. from * until 15 sts. rem., (p. 3, k. 3) twice, p. 3. 2*nd row*—* (k. 3, p. 3) twice, k. 3, moss-st. 9. Rep. from * until 15 sts. rem., (k. 3, p. 3) twice, k. 3. 3*rd row*—* K. 1, (p. 3, k. 3) twice, p. 2, moss-st. 9. Rep. from * until 15 sts. rem., k. 1, (p. 3, k. 3) twice, p. 2. 4*th row*—* K. 2, (p. 3, k. 3) twice, p. 1, moss-st. 9. Rep. from * until 15 sts. rem., k. 2, (p. 3, k. 3) twice, p. 1.

5*th row*—* K. 2, (p. 3, k. 3) twice, p. 1, moss-st. 9. Rep. from * until 15 sts. rem., k. 2, (p. 3, k. 3) twice, p. 1. 6*th row*—* K. 1, (p. 3, k. 3) twice, p. 2, moss-st. 9. Rep. from * until 15 sts. rem., k. 1, (p. 3, k. 3) twice, p. 2.

7*th row*—* (k. 3, p. 3) twice, k. 3, moss-st. 9. Rep. from * until 15 sts. rem., (k. 3, p. 3) twice, k. 3. 8*th row*—* (p. 3, k. 3) twice, p. 3, moss-st. 9. Rep. from * until 15 sts. rem., (p. 3, k. 3) twice, p. 3. 9*th row*—* p. 1, (k. 3, p. 3) twice, k. 2, moss-st. 9. Rep. from * until 15 sts. rem., p. 1, (k. 3, p. 3) twice, k. 2.

10*th row*—* P. 2, (k. 3, p. 3) twice, k. 1, moss-st. 9. Rep. from * until 15 sts. rem., p. 2, (k. 3, p. 3) twice, k. 1. 11*th row*—* P. 2, (k. 3, p. 3) twice, k. 1, moss-st. 9. Rep. from * until 15 sts. rem., p. 2, (k. 3, p. 3) twice, k. 1. 12*th row*—* P. 1, (k. 3, p. 3) twice, k. 2, moss-st. 9. Rep. from * until 15 sts. rem., p. 1, (k. 3, p. 3) twice, k. 2. Rep. these 12 rows, inc. 1 st. at beg. and end of next and every 12th row until 5 sts. extra are at each end of needle. (Work these extra sts. in moss-st.). Cont. straight until work measures 12 ins. from commencement.

To Shape Armholes.—Cast off 10 sts. at beg. of next 2 rows, then k. 2 tog., beg. and end of every row until 81 sts. rem. Work without further dec. until armhole measures 7 ins.

To Shape Shoulders.—Cast off 9 sts. beg. of next 6 rows, then cast off rem. sts.

THE FRONT.—With No. 11 needles, cast on 111 sts. and work as for back until armhole dec. are done. Here divide for neck. *Next row*—Work in ptn. for 40 sts., sl. rem. 41 sts. on to st.-holder or spare needle. Turn and work back. Cont. on this side, keeping ptn. correct whilst shaping. K. 2 tog., every 4th row at neck edge until 27 sts. rem.

To Shape Shoulders.—Cast off 9 sts. at armhole edge, work to end of row. Work back. Rep. these 2 rows once. Cast off rem. sts.

Rejoin wool at neck edge of rem. sts., cast off 1 st. and work this side to match left side.

THE SLEEVES (both alike).—Using No. 11 needles, cast on 51 sts. 1*st row*—Sl. 1, * k. 1, p. 1, rep. from * to end of row. 2*nd row*—Sl. 1, * p. 1, k. 1, rep. from * to end. Rep. these 2 rows 13 times more, then work first row. 30*th row*—* Rib 3, (k. 1, p. 1) into next st. Rep. from * until 3 sts. rem., rib 3 (63 sts.). Change to No. 9 needles, and work ptn. as for back. Work one complete ptn. (12 rows), then inc. 1 st. at beg. and end of next row, and

(*Continued on page* 16)

ABBREVIATIONS USED THROUGHOUT

K., *knit.*
P., *purl.*
St. or sts., *stitch or stitches.*
Cont., *continue.*
Beg., *begin or beginning.*
Rep., *repeat.*
Ptn., *pattern.*
Sl., *slip.*
Ins., *inches.*
Alt., *alternate or alternately.*
Rem., *remain, remains, or remaining.*
Tog., *together.*
Wl. fwd., *wool forward.*
P.s.s.o., *pass slipped stitch over.*
St.-st., *stocking-stitch is k. on the right side and p. on the wrong.*
Inc., *increase or increasing (by k. into the front and back of the same stitch before slipping it off needle).*
Dec., *decrease or decreasing (by k. 2 sts. tog.).*
Garter-st., *garter-stitch is knitting every row plain. Two rows make one ridge.*
Moss-st., *moss-stitch is k. 1, p. 1 to end of row, always beg. next row with same kind of st. as last row finished.*
M., *make (by bringing wool forward between needles and over right-hand needle).*
W.r.n., *wool round needle (by passing the wool over the right-hand needle and bringing back to the front between the two needles to purl the next st.).*
Casting-on.—*If you cast-on with two needles work into the backs of the cast-on sts. to produce firm edges, but if you use the thumb method this is not necessary.*

FOR NOT-SO-SLIMS

MATERIALS.—8 oz. "Golden Eagle" Polynit Fingering de Luxe, 4-ply. A pair each of Nos. 8, 9 and 12 "Stratnoid" knitting needles.

Measurements.—Length from shoulder, 18½ ins. Width all round at underarms, 38 ins. Sleeve seam, 5 ins.

Tension.—Worked at a tension to produce 6½ sts. in width and 7½ rows in depth to one inch.

THE BACK.—Cast on 100 sts. on No. 12 needles and work in k. 1, p. 1 ribbing for 3½ ins.

Next row—* K. 4, k. twice into next st., rep. from * to end. P. next row, p. twice into last st. (121 sts.). Proceed in ptn. as follows: Change to No. 8 needles. 1*st row*—* K. 6, k. 2 tog., wl. fwd., rep. from * until 1 st. rem., k. 1. 2*nd row*—P. 3*rd row*—* K. 6, wl. fwd., k. 2 tog., rep. from * until 1 st. rem., k. 1. 4*th row*—P. Rep. last 4 rows twice more. 13*th row*—* K. 2, k. 2 tog., wl. fwd., rep. from * until 1 st. rem., k. 1. 14*th row*—As 2nd row. 15*th row*—* K. 2, wl. fwd., k. 2 tog., rep. from * until 1 st. rem., k. 1. 16*th row*—P. Rep. last 4 rows twice more (24 rows altogether). Rep. these 24 rows once more, then rep. 1st to 12th rows once again. Cont. in st.-st. until work measures 12½ ins. from beg.

To Shape Armholes.—Cast off 5 sts. at beg. of next 2 rows. Dec. at beg. of every row until 90 sts. rem. Proceed as follows: 1*st row*—K. 8, * k. 2 tog., wl. fwd., k. 6, rep. from * to last 2 sts., k. 2. 2*nd row*—P. 3*rd row*—K. 8, * wl. fwd., k. 2 tog., k. 6, rep. from * to last 2 sts., k. 2. 4*th row*—As 2nd row. Rep. these 4 rows until work measures 6½ ins. from beg. of armhole shaping.

To Shape Shoulders.—Cast off 6 sts. at beg. of next 10 rows, then cast off rem. 30 sts.

Strip for Neckband.—** Using No. 9 needles, cast on 8 sts. and work in st.-st. for 12 rows. Proceed in lace ptn. thus: 13*th row*—K. 3, k. 2 tog., wl. fwd., k. 3. 14*th row*—P. 15*th row*—K. 3, wl. fwd., k. 2 tog., k. 3. 16*th row*—P. These 16 rows complete one ptn. Rep. from ** until strip measures enough to go round neck and 4 ins. over at each end for making the mitre.

THE FRONT.—Work exactly the same as for back up to armholes.

To Shape Armholes.—Cast off 3 sts. at beg. of next 2 rows, then cast off 2 sts. at beg. of following 2 rows, then cast off 1 st. at beg. of every row until 90 sts. rem. Proceed as follows: 1*st row*—K. 8, * k. 2 tog., wl. fwd., k. 6, rep. from * to last 2 sts., k. 2. 2*nd row*—P.

3*rd row*—K. 8, * wl. fwd., k. 2 tog., k. 6, rep. from * to last 2 sts., k. 2. 4*th row*—As 2nd row. Rep. last 4 rows once more.

(*Continued on page* 6)

BACK and front are worked in the same easy lace-stitch pattern.

WITH A JABOT FRONT

YOU'LL love this graceful jumper for afternoon occasions; and its lines are very slimming in effect.

MATERIALS.—10 oz. "Golden Eagle" Pearlsheen, 2-ply. A pair each of No. 9 and a pair of No. 11 "Stratnoid" knitting needles.

Measurements.—Length from shoulder, 18 ins. Width all round at underarms, 36 ins. Sleeve seam, 19 ins.

Tension.—Worked at a tension to produce 6½ sts. in width and 8 rows in depth to one inch.

THE BACK.—Using No. 11 needles, cast on 110 sts., and work in k. 1, p. 1 rib for 3½ ins., inc. 1 st. at beg. of last row (111 sts.). Change to No. 9 needles and work in ptn. as follows: 1*st row*—* K. 7, then moss-st. 6. Rep. from * finishing k. 7. 2*nd row*—* P. 7, moss-st. 6, rep. from * finishing p. 7. Rep. last 2 rows once. 5*th row*—* K. 3, wl. fwd., sl. 1, k. 1, p.s.s.o., k. 2, moss-st. 6, rep. from * finishing k. 3, wl. fwd., sl. 1, k. 1, p.s.s.o., k. 2.

6*th row*—Rep. 2nd row.

7*th row*—* K. 1, k. 2 tog., wl. fwd., k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., k. 1, ** moss-st. 6. Rep. from * finishing rep. from * to **. 8*th row*—Rep. 2nd row. These 8 rows form ptn. Rep. them once, then cont. in ptn., and inc. 1 st. at each end of next row and on every 16th row following, until 119 sts. are on needle. (Work all inc. sts. in moss-st.). Work 15 rows after last inc. finishing after an 8th ptn. row.

To Shape Armholes.—Cast off 6 sts. at beg. of next 2 rows, then dec. 1 st. at each end of next 10 rows (87 sts. rem.). Work without further shaping until armhole measures 6½ ins. on the straight and not round armhole.

To Shape Shoulders.—Cast off 6 sts. at beg. of next 10 rows. Cast off rem. 27 sts.

THE FRONT.—Work ribbing as for back, inc. 1 st. on last row (111 sts.). Change to No. 9 needles, and work in ptn. as follows: 1*st row*—K. 7, * moss-st. 6, k. 7. Rep. from * twice, moss-st. 19; then ** k. 7, moss-st. 6, rep. from ** twice, k. 7.

2*nd row*—P. 7, * moss-st. 6, p. 7. Rep. from * twice, moss-st. 19; then ** p. 7, moss-st. 6. Rep. from ** twice, p. 7. Rep. last 2 rows once. 5*th row*—* K. 3, wl. fwd., sl. 1, k. 1, p.s.s.o., k. 2, ** moss-st. 6 *. Rep. from * to * twice, then rep. from * to ** once, moss-st. 19; then rep. from * to end. 6*th row*—Rep. 2nd row. 7*th row*—* K. 1, k. 2 tog., wl. fwd., k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., k. 1, ** moss-st. 6 *. Rep. from * to * twice, then rep. from * to ** once, moss-st. 19, then rep. from * to end. 8*th row*—Rep. 2nd row. These 8 rows form ptn. Rep. them once,

(*Continued on page* 16)

SO QUICKLY MADE!

MATERIALS.—13 oz. "Golden Eagle" Hastenit Wool. A pair each of No. 3 and No. 10 "Stratnoid" knitting needles, and 5 buttons.

Measurements.—Length from shoulder to lower edge, 18½ ins. Width all round at underarms, 34 ins., stretching to 35 ins. Length of sleeve seam, 18½ ins.

Tension.—Worked at a tension to produce 4 sts. in width and 5 rows in depth to one inch.

THE BACK.—With No. 10 needles cast on 66 sts. and work in k. 1, p. 1 ribbing for 27 rows. Change to No. 3 needles, and work in ptn. thus: 1*st to* 3*rd rows*—* K. 3, p. 3, rep. from * to end of row. 4*th to* 6*th rows*—P. 3, k. 3, rep. from * to end. These 6 rows form the ptn. Rep. them twice more. Inc. 1 st. at both ends of next row and on every following 6th row twice more, making 72 sts. on needle, and working extra sts. into ptn. as they become due. Cont. in ptn. without further inc. until back measures 12 ins. from beg.

To Shape Armholes.—Cast off 4 sts. at beg. of next 2 rows, then dec. 1 st. at both ends of needle on every row till 60 sts. rem. Cont. in ptn. without further dec. until armholes measure 6½ ins. in depth, measured on the straight. Shape shoulders by casting off 9 sts. at beg. of next 4 rows. Cast off rem. 24 sts.

THE LEFT FRONT.—With No. 10 needles cast on 52 sts. and work in k. 1, p. 1 ribbing for 27 rows. Change to No. 3 needles and dec. number of sts. thus: * k. 2, k. 2 tog., p. 2, p. 2 tog., rep. from * to end, leaving 39 sts. Now proceed in Block ptn. as for back, *at the same time* inc. 1 st. at beg. of next row (by knitting into front and back of first st.) for the rever, and on the same edge in every alt. row until there are 59 sts., working the extra sts. into the ptn. as they occur. If necessary, work a few more rows without inc. until side edge is exactly the same length as side edge of back up to armhole.

To Shape Armhole.—Cast off 4 sts. and finish row. Now discontinue increasing at front edge, but dec. 1 st. at armhole edge on every row until 49 sts. rem. Cont. without further dec. until armhole measures 5½ ins. in depth (8 blocks in depth from beg. of armhole shaping), and finishing at front edge. Cast off 22 sts. at beg. of next row for rever and finish row. Work back to last 2 sts., k. 2 tog. Dec. 1 st. at neck edge in every row until 19 sts. rem., ending at armhole edge. Shape shoulder. Cast off 9 sts., work until 2 sts. rem., k. 2 tog. Turn, work back to cast off sts. Cast off 9 sts.

THE RIGHT FRONT.—Cast on 52 sts. on No. 10 needles and rib 3 rows. 4*th row*—* Rib 3 sts., cast off 4, rib to end of row. 5*th row*—Rib until 3 sts. rem., cast on 4, rib 3. 6*th row*—Rib, working into backs of cast-on sts. Work 8 rows

(*Continued on next page*)

THIS coat is worked in thick wool and on big needles, so that it takes only a very short time to knit.

SO QUICKLY MADE!

(*Continued from previous page*)

in rib. Rep. from * once. Make the 3rd buttonhole on the next 2 rows. Change to No. 3 needles, and dec. the number of sts. to 39 as for Left front. Start ptn. on next row, inc. 1 st. at end of row and on every alt. row at front edge until there are 59 sts. Work a few more rows, if necessary, until side edge up to armhole equals side edge of Left front and finishing at armhole edge.

To Shape Armhole.—Now shape armhole and finish this side to match left front by following the same directions.

THE COLLAR.—Cast on 48 sts. on No. 3 needles and work block ptn. twice. Cont. in ptn., dec. 1 st. at each end of needle on every row till there are 7 blocks in depth from the beg. Cast off.

THE SLEEVES (*both alike*).—With No. 10 needles cast on 40 sts. and work in single rib for 3½ ins. *Next row*—* Rib 4, k. 2 sts. tog. Rep. from * 6 times, rib to end (33 sts.). Change to No. 3 needles.

* Work in block ptn. for 5 rows. Inc. 1 st. at each end of next row. Rep. from * until there are 53 sts. on needle, then inc. at both ends of needle on every 4th row until there are 61 sts. and sleeve measures 17 ins. from beg. (The sleeves will stretch to 18 ins. when worn.) Shape top by casting off 3 sts. at beg. of next 2 rows, then dec. 1 st. at both ends of needle on every row until 21 sts. rem. Cast off.

To Make Up.—Sew up shoulder and side seams. Make up sleeves and insert into armholes. Halve collar, place *cast-off* edge to centre of back neck and stretching edge of collar to fit neck, oversew on right side to the *inner* edge of rever, then sew shaped ends of collar to top of revers. Lightly press seam. Turn back revers and keep in position with a button on each rever. Sew buttons on lower edge of coat.

FOR NOT-SO-SLIMS

(*Continued from page 3*)

To Shape Neck.—*Next row*—K. 8, k. 2 tog., wl. fwd., k. 6, k. 2 tog., wl. fwd., k. 6, k. 2 tog., wl. fwd., k. 4; cast off 30 sts., k. 4, k. 2 tog., wl. fwd., k. 6, k. 2 tog., wl. fwd., k. 6, k. 2 tog., wl. fwd., k. 8. Cont. in ptn. on last set of sts. until work measures 6½ ins. from beg. of armhole shaping.

To Shape Shoulder.—* Beg. at armhole edge, cast off 6 sts., work to neck and back again. Rep. from * until all sts. are cast off. Rejoin wool at neck end of rem. sts. and work up this side of the jumper to correspond with the right shoulder.

THE SLEEVES (*both alike*).—Cast on 80 sts. on No. 12 needles, and work in k. 1, p. 1 ribbing for 1 inch. Change to No. 8 needles and work as follows: 1*st row*—K. 3, * k. 2 tog., wl. fwd., k. 6, rep. from * to last 5 sts., k. 2 tog., wl. fwd., k. 3. 2*nd row*—P. 3*rd row*—K. 3, * wl. fwd., k. 2 tog., k. 6, rep. from * to last 5 sts., wl. fwd., k. 2 tog., k. 3. 4*th row*—P. Rep. last 4 rows until work measures 5 ins. from beg. Still continuing in ptn., dec. 1 st. at each end of every row until 16 sts. rem. Cast off these 16 rem. sts.

To Make Up.—Press work. Join shoulders, and sew tops of sleeves into armholes. Turn in a tiny hem along the front neck and sew down invisibly on wrong side. Join underarm and side seams.

Halve neckband, placing centre to middle of back neck, then oversew one edge to neck of jumper, forming a "V" with remaining ends below neck edge of jumper as shown in the picture.

Sew this very neatly in place, not allowing the stitches to show through on the right side.

If preferred, the neck-line can be kept square by working double crochet all round the edge to make it firm and to keep it a good shape. Use a No. 12 "Stratnoid" crochet hook for the crochet.

This DESIGN is VERY NEW

MATERIALS.—10 oz. "Golden Eagle" Twede Wool. A pair of No. 8 and No. 10 "Aero" knitting needles and 6 buttons.

Measurements.—Length from shoulder, 20 ins. Width all round at underarms, 34 ins. Sleeve seam, 18½ ins.

Tension.—Worked at a tension to produce 6½ sts. in width and 8 rows in depth to one inch.

THE BACK.—Using No. 8 needles cast on 102 sts. and k. 10 rows in garter-st. 11*th row*—K. 12*th row*—K. 1, p. to last st., k. 1. Rep. 11th and 12th rows until work measures 4 ins. from cast-on edge. *Next row*—K. 10, (k. 2 tog., k. 18) 4 times, k. 2 tog., k. 10. *Next row*—K. 2 tog., p. to last st., k. 1. Change to No. 10 needles and work 12 rows in k. 1, p. 1 ribbing. Change back to No. 8 needles and work in st.-st., inc. 1 st. beg. and end of every 10th row until 104 sts. are on needle. Cont. on these sts. until work measures 13 ins. from commencement.

To Shape Armholes.—Cast off 4 sts. beg. of each of the next 4 rows, then k. 2 tog. at beg. of every row until 80 sts. rem. Work on these sts. until 19 ins. are completed.

Shape for shoulders. Cast off 6 sts. at beg. of next 8 rows. Cast off rem. sts.

THE FRONT.—Take two balls of wool and cast on 40 sts. with each ball on No. 8 needles. *Next 3 rows*—K. 40, change ball, k. 40.

4th row—(1st ball) K. 35, inc. in next st., k. 4; (2nd ball) k. 3, inc. in next st., k. to end. *Next* 3 *rows*—K. *8th row*—(1st ball) K. 36, inc. in next st., k. 4; (2nd ball) k. 3, inc. in next st., k. to end. *Next* 2 *rows*—K. *11th row*—(1st ball) K. 1, p. 37, k. 4; (2nd ball) k. 4, p. 37, k. 1. *12th row*—K. to last 5 sts. of 1st ball, inc. in next st., k. 4; (2nd ball) k. 3, inc. in next st., k. to end. *13th row*—K. 1, p. to last 4 sts. of 1st ball, k. 4; (2nd ball) k. 4, p. to last st., k. 1. *14th row*—K.

15th row—As 13th row. Rep. 12th to 15th rows inclusive until 98 sts. are on needle (49 sts. on needle for each ball). Change to No. 10 needles. *Next row*—(K. 1, p. 1) 22 times, k. 5, break off 2nd ball of wool and work right across with one ball only, k. 4, (k. 1, p. 1) 22 times, k. 1. *Next row*—(P. 1, k. 1) 22 times, p. 1, k. 8, (p. 1, k. 1) 22 times, p. 1. Rep. these 2 rows 5 times more. Change back to No. 8 needles and work in st.-st., keeping centre 8 sts. in garter-st. and inc. 1 st. at beg. and end of every 10th row until 108 sts. are on needle. Then work on these sts. until front measures 13 ins. from cast-on edge.

To Shape Armholes.—Cast off 5 sts. at beg. of next 4 rows, then k. 2 tog. at beg. of every row until 80 sts. rem. Then work 14 rows on these sts. *15th row*—K. 1, p. 19, k. 40, p. 19, k. 1. *16th row*—K. Rep. 15th and 16th rows 3 times more, then the 15th row again. *Next row*—K. 24, cast off 32 sts., k. 23. *Next row*—Work over the last set of 24 sts. as follows: K. 1, p. 19, k. 4. *Next row*—K. Rep. these last 2 rows 11 times more.

To Shape Shoulders.—Cast off 7 sts. at beg. of every alt. row until 3 sts. rem. K. 18 rows on these 3 sts., then cast off. Rejoin wool to rem. 24 sts. and work second shoulder to correspond.

THE SLEEVES (*both alike*).—Using No. 10 needles, cast on 60 sts. and work in k. 1, p. 1 rib for 32 rows. Change to No. 8 needles and work in st.-st., inc. 1 st. at beg. and end of every 8th row until 80 sts. are on needle. Now inc. 1 st. at beg. and end of every 6th row until there are 90 sts., then inc. 1 st. at beg. and end of every 4th row until 96 sts. are on needle. Work 2 rows in st.-st., then cast off 2 sts. at beg. of every row until 30 sts. rem. Cast off.

To Make Up.—Press all pieces on wrong side. Stitch up side, sleeve and shoulder seams, taking the two "tabs" from front round back of neck. Stitch in sleeves forming extra fullness into two pleats at top of sleeve. Place buttons at even intervals on centre strip of front.

CHOOSE buttons in a bright colour for this jumper, and let them match your scarf. The original model was in a fawn mixture with vivid green scarf and buttons, a simple colour-scheme, but such an effective one.

If you find the edges of the neck opening or border round jumper are inclined to sag, you can make them firmer by working double crochet all round the edges, using a No. 12 "Aero" crochet hook for this purpose. Take care not to work the crochet too close, and, if necessary, miss a stitch occasionally. Work 2 double crochet in each corner to keep them flat. The crochet will also prevent the jumper from stretching out of shape after it has been worn some time.

ISN'T it dainty? The lace-stitch panels are repeated at the back, and the front fastens with a "zip."

A BLOUSE FOR BEST

MATERIALS.—7 oz. "Golden Eagle" Lustre Suede, 3-ply. One pair each No. 9 and 10 "Aero" knitting needles. One 7-inch Plastic Zip fastener. One yard narrow elastic.

Measurements.—Length from shoulder, 18 ins. Width all round at underarms, 34 ins. Sleeve seam, 5½ ins.

Tension.—Worked at a tension to produce 8½ rows and 7½ sts. to one inch.

THE BACK.—Cast on 120 sts. with No. 10 needles. *1st and 2nd rows*—K. *3rd row*—* K. 3, m. 1, k. 2 tog., rep. from * to end. *4th row*—K. 1, p. to last st., k. 1. Work next 4 rows in st.-st. *9th row*—K. 40, (m. 1, k. 2 tog.) 20 times, k. 40. *10th row*—K. 1, p. 34, k. 5, p. 40 (wrapping wool twice round needle on every st. to make an extra loop), k. 5, p. 34, k. 1. *11th row*—K. 40, * dropping the extra loops, take next 4 sts. on to right-hand needle without working them, and lift back the 2nd and 1st sts. over the 3rd and 4th, then the 3rd and 4th back on to the left-hand needle, then k. 4, *. Rep. from * to * 9 times, then k. 40.

12th row—K. 1, p. 34, k. 5, p. 40, k. 5, p. 34, k. 1. Rep. 9th to 12th rows inclusive until work measures 5 ins., then change to No. 9 needles and cont. until 12 ins. are completed, finishing after a 3rd ptn. row. *Next row*—K. 1, p. 34, k. 50, p. 34, k. 1. *Next row*—K. Rep. these 2 rows three times more.

To Shape Armholes.—Working entirely in st.-st., cast off 5 sts. at beg. of next 4 rows, then k. 2 tog. at beg. of every row until 96 sts. rem. Cont. on these sts. until work measures 17½ ins. from beg.

To Shape Shoulders.—Cast off 7 sts. at beg. of next 8 rows, then cast off rem. 40 sts.

THE FRONT.—Work first 8 rows as for back. *9th row*—K. 30, (m. 1, k. 2 tog.) 10 times, k. 20, (m. 1, k. 2 tog.) 10 times, k. 30. *10th row*—K. 1, p. 26, k. 3, (* p. 20, wrapping wool twice round needle on every st. to make an extra loop), * k. 3, p. 14, k. 3, rep. from * to * once, k. 3, p. 26, k. 1. *11th row*—K. 30 * (dropping the extra loops, take next 4 sts. on to right-hand needle without working them, and lift back the 2nd and 1st sts. over the 3rd and 4th, then the 3rd and 4th

(*Continued on page* 15)

To Wear with Your Suit

MATERIALS.—7 oz. "Golden Eagle" Polynit Fingering de Luxe, 3-ply. One pair each of No. 8 and No. 10 "Aero" knitting needles. Six buttons. A 1½ inch buckle.

Measurements.—Length from shoulder to lower edge, 19½ ins. Width all round at underarms, 32 ins. Sleeve seam, 17½ ins.

Tension.—Worked at a tension to produce 7 sts. in width and 7 rows in depth to one inch.

THE BACK.—Using No. 10 needles cast on 94 sts. and work in k. 1, p. 1 rib for 36 rows. Change to No. 8 needles and work in ptn. as follows: 1*st row*—K. 1, * m. 1 (by picking up and purling the loop before the next st.), k. 3, pass first st. over last two. Rep. from * to end. 2*nd row*—P. 2 and k. 1 alt. to last st., p. 1. 3*rd row*—* K. 3, pass first st. over last 2, m. 1. Rep. from * to last st., k. 1.

4*th row*—P. 1, then k. 1 and p. 2 to end. These 4 rows complete one ptn. Rep. them three times more, then inc. thus: 17*th row*—K. twice into first st., work as 1st row from * to last 3 sts., m. 1, k. 3.

18*th row* — K. 1 and p. 2 alt. to end. 19*th row*—K. 1, work as 3rd row from * to last 2 sts., k. 2. 20*th row*—P. 2 and k. 1 alt. to end. 21*st row*—K. 2, work as 1st row from * to last st., k. 1. 22*nd row*—As 18th row.

23*rd row*—K. 1, work as 1st row from * to last 2 sts., m. 1, k. twice into next st., k. 1. 24*th row*—K. 1 and p. 2 to last 2 sts., k. 1, p. 1. 25*th row*—K. 3, work as 1st row from * to last 2 sts., k. 2. 26*th row*—P. 1, k. 1, then p. 2 and k. 1 to end. 27*th row*—K. 2, work as 3rd row from * to last 3 sts., k. 3. 28*th row*—As 24th row. 29*th row*—K. twice into first st., k. 2, work as 1st row from * to last 2 sts., m. 1, k. 2.

30*th row*—As 2nd row. 31*st row*—As 3rd row. 32*nd row*—P. 1, then k. 1 and p. 2 to end. Rep. from 17th row twice more (112 sts.).

To Shape Armholes.—65*th row*—K. 2 tog., k. 2, work as 1st row from * to last 3 sts., k. 1, k. 2 tog. 66*th row*—K. 2 tog., then p. 2 and k. 1 to last 3 sts., p. 1, p. 2 tog.

67*th row*—K. 2 tog., k. 2, work as 3rd row from * to last 2 sts., m. 1, k. 2 tog. 68*th row*—K. 2 tog., then p. 2 and k. 1, to last 2 sts., p. 2 tog. 69*th row*—K. 2 tog., k. 1, work as 1st row from * to last 2 sts., k. 2 tog. 70*th row*—P. 2 tog., p. 1, then k. 1 and p. 2 to last 3 sts., k. 1, p. 2 tog.

71*st row*—K. 2 tog., k. 1, work as 3rd row from * to last st., omit the m. 1, then k. 1. 72*nd row*—P. 2 tog., p. 1, then k. 1 and p. 2 to last 2 sts., k. 2 tog.

73*rd row*—K. 2 tog., work as 1st row from * to last 4 sts., m. 1, k. 2, k. 2 tog., pass first st. over last two. 74*th row*—P. 2 tog., then k. 1 and p. 2 to last 2 sts., k. 2 tog. 75*th row*—K. 2 tog., work as 3rd row from * to last 3 sts., k. 3, pass first st. over last two. 76*th row*—P. 2 tog., then k. 1 and p. 2 to last 4 sts., k. 1, p. 1, p. 2 tog.

77*th row*—K. 2 tog., k. 2, work as 1st row from * to last 3 sts., k. 1, k. 2 tog. 78*th row*—K. 2 tog., then p. 2 and k. 1 to last 3 sts., p. 1, p. 2 tog. 79*th row*—As 67th row (82 sts. rem.). 80*th row*—P. 1, then k. 1 and p. 2 to end.

(*Continued on next page*)

THIS pretty pattern looks rather like crochet, but actually it is a simple knitting stitch. The belt is knitted to match.

TO WEAR WITH YOUR SUIT

(*Continued from page* 9)

Rep. the 4 ptn. rows five times more, then work 1st and 2nd rows again.

To Shape Shoulders.—103*rd row*—Cast off 4 sts., k. 2, (st. left on needle after cast-off is always given in following number of sts.) work as 3rd row from * to end, omitting last m. 1. 104*th row*—Cast off 4 sts., p. 2, then k. 1 and p. 2 to last 2 sts., k. 2 tog. 105*th row*—Cast off 3 sts., k. 2, work as 1st row from * to last 4 sts., m. 1, k. 2, k. 2 tog., pass first st. over last two. 106*th row*—Cast off 3 sts., p. 2, then k. 1 and p. 2 to last 3 sts., k. 1, p. 2 tog. Rep. last 4 rows twice more, leaving 28 sts. Cast off.

THE FRONT.—Work exactly as for back until armhole dec. have been worked and the 82 sts. rem., then divide for opening thus: 80*th row*—P. 1, then k. 1 and p. 2 for 36 sts., k. 1, p. 1, p. 2 tog., turn and cont. on these 40 sts. only. Rep. 4 ptn. rows five more times, then work 1st and 2nd rows only.

To Shape Neck.—103*rd row*—Cast off 5 sts., k. 1, work as 3rd row from * to end.

104*th row*—P. 1, then k. 1 and p. 2 to last 4 sts., k. 1, p. 1, p. 2 tog. 105*th row*—K. 2 tog., k. 2, work as 1st row from * to end.

106*th row*—P. 2 and k. 1 to end. 107*th row*—K. 2 tog., work as 3rd row from * to end. Rep. from 104th row once. 112*th row*—As 104th row. Work 1st and 2nd ptn. rows once (28 sts. rem.).

To Shape Shoulder.—115*th row*—As 3rd row, but omit last m. 1. 116*th row*—Cast off 4 sts., p. 2, then k. 1 and p. 2 to end. 117*th row*—Rep. 1st row to last 4 sts., m. 1, k. 2, k. 2 tog., pass first st. over last 2. 118*th row*—Cast off 3 sts., p. 2, then k. 1 and p. 2 to last 2 sts., k. 1, p. 1. Rep. last 4 rows until all sts. are dec.

Go back to rem. 41 sts., join wool at centre edge, p. 2 tog., then k. 1 and p. 2 to end, leaving 40 sts. on the needle. Rep. 4 ptn. rows five times, then work 1st and 2nd rows again.

To Shape Neck.—103*rd row*—* K. 3, pass first st. over last two, m. 1. Rep. from * to last st., k. 1. 104*th row*—Cast off 6 sts., p. 1, then k. 1 and p. 2 to end. 105*th row*—As 1st row to last 3 sts., k. 1, k. 2 tog. 106*th row*—P. 1, then k. 1 and p. 2 to last 2 sts., k. 1, p. 1. 107*th row*—As 3rd row to last 3 sts., k. 1, k. 2 tog. 108*th row*—P. 2 tog., then k. 1 and p. 2 to end. Rep. from 105th row once again (28 sts. rem.). 113*th row*—K. 1, * m. 1, k. 3, pass first st. over last two, rep. from * to end. 114*th row*—P. 2 and k. 1 alt. to last st., p. 1.

(*Continued on page* 14)

A PRESENT FOR HIM

MATERIALS.—1 lb. 5 oz. "Golden Eagle" Hastenit wool. A pair each of Nos. 4, 6 and 9 "Aero" knitting needles. Eleven buttons.

Measurements.—Length from shoulder to lower edge, 22½ ins. Width all round chest when closed, 40 ins. Sleeve seam, 21 ins.

Tension.—4 sts. in width and 5 rows in depth to 1 inch.

THE BACK.—Using No. 6 needles, cast on 72 sts. and work in k. 1, p. 1 rib for 4 ins. Change to No. 4 needles and proceed in st.-st. until work measures 15 ins. from beg.

To Shape Armholes.—Cast off 3 sts. at beg. of next 2 rows, then k. 2 sts. tog. at both ends of needle on every alt. row 5 times, leaving 56 sts. Cont. in st.-st. without further shaping until armholes measure 7 ins. in depth, measured up straight and not round armhole.

To Shape Shoulders.—Cast off 10 sts. at beg. of the next 4 rows. Cast off rem. sts.

THE LEFT FRONT.—With No. 6 needles, cast on 48 sts. and work in k. 1, p. 1 rib for 4 ins. *Next row*—* K. 3, k. 2 tog., rep. from * to end of row, leaving 39 sts. Change to No. 4 needles and work in st.-st. until front measures 15 ins. from the beg., finishing after a p. row.

To Shape Armhole.—Cast off 4 sts. at beg. of next row, and finish row. Work back to armhole. Now k. 2 sts. tog. at the beg. of the next 6 *knit* rows, leaving 29 sts. Work 18 rows without further shaping.

To Shape Neck.—Cast off 6 sts. at beg. of next p. row, and finish row. Work back to neck. From here k. 2 sts. tog. at neck edge of every alt. row till 20 sts. rem. Work 3 rows without shaping. Shape shoulder. Beg. at armhole edge, cast off 10 sts., work to neck and back again. Cast off 10 sts.

THE RIGHT FRONT.—Work the same as the left front until it measures 15 ins. from beg., finishing after a *knit* row.

To Shape Armhole.—Cast off 4 sts. at beg. of next row, and finish row. Work back to armhole. Now k. 2 sts. tog. at the beg. of every *purl* row 6 times, leaving 29 sts. Work 18 rows without shaping.

To Shape Neck.—Cast off 6 sts. at beg. of

next *knit* row, and finish row. Work back to neck. Now finish to correspond with left front.

THE SLEEVES (*both alike*).—Begin at shoulder line. Using No. 4 needles, cast on 16 sts. Work in st.-st., inc. 1 st. at both ends of needle until there are 60 sts. Work 9 rows in st.-st. K. 2 sts. tog. at both ends of next row, and on every 10th row following, until 42 sts. rem. Work a few more rows, if necessary, if you want a longer underarm seam. Change to No. 9 needles and work in k. 1, p. 1 ribbing for 4 ins. Cast off.

The Collar.—Using No. 9 needles cast on 79 sts. 1*st row* — K. 1, inc. once in next st., * p. 1, k. 1, rep. from * to last 3 sts., inc. once in next st. purlwise, k. 2. 2*nd row*—K. 1, p. 2, * k. 1, p. 1, rep. from * to last 2 sts., p. 1, k. 1. 3*rd row*—K. 1, inc. once in next st., * k. 1, p. 1, rep. from * to last 3 sts., inc. once in next st., k. 2. 4*th row*—* K. 1, p. 1, rep. from * to last st., k. 1. Rep. these 4 rows until collar measures 3½ ins. in depth. Cast off in rib, using a No. 4 needle.

Bands for Buttons and Buttonholes.—With No. 9 needles cast on 9 sts., and working in p. 1, k. 1 rib, work a strip measuring exact length of front edge, after pressing—about 21 ins. When you have finished this first band, mark with pins at equal distances, where you wish to put buttons. *Note.*—Put three in the welt and eight in the upper part of front. Work a second strip in a similar way, making holes in second strip to match pin marks in this way: Work 3 sts., cast off 2, work 3, return row, work 3, cast on 2, work 3. Make the top button come about two rows before casting off.

The Pockets.—With No. 4 needles cast on 18 sts. and work in st.-st. for 21 rows. Cast off. For the band going across top of pocket, cast on 7 sts. on No. 9 needles and work in p. 1, k. 1 rib for 4½ ins. Cast off. Make another pocket in the same way.

To Complete Coat. — Join up shoulders, then sew tops of sleeves into armholes and press seams. Tack bands to front edges and oversew on wrong side. Stitch pocket bands to tops of pockets, leaving lower edges loose, but neatly sewing sides and top edges. Now pin pockets to fronts, placing them on the 11th stitch from front edge, not counting the bands. Tack all round, then sew in position, keeping them straight by a line of knitting. Sew on buttons. Sew on collar to within half an inch of each front. Sew up underarm and side seams, then press all seams and coat on wrong side, except welt and ribbing.

HERE'S a coat which is certain of masculine approval for sports, such as golf, motoring, and fishing.

A NOTE ABOUT TENSION

BE sure that the tension of your work is correct, if you wish to produce a garment the exact size of the original. To find out this, before you begin any knitted garment, knit a piece about 6 ins. square in the prescribed pattern, and press it with a warm iron and damp cloth. Then count the stitches with the aid of a tape-measure and see if the number corresponds with the tension mentioned in the directions.

If you get more stitches to the inch than the model, use coarser needles; if fewer, use finer, and experiment until the tension is correct.

A COSY CARDIGAN

YOU'LL find this model invaluable for slipping on over thin frocks and jumpers. Note the ribbed yoke which gives a perfect fit on the shoulders.

MATERIALS.—10 oz. "Golden Eagle" Twede wool. A pair each of No. 8 and No. 11 "Aero" knitting needles. Six buttons.

Measurements.—Length from shoulder, 19 ins. Width all round at underarm, 34 ins. Sleeve seam, 18½ ins.

Tension.—Worked at a tension to produce 13 sts. to 2 ins. in width and 15 rows to 2 ins. in depth.

THE BACK.—Using No. 11 needles, cast on 116 sts. 1*st row*—K. 1, * k. 1, p. 1, rep. from * to last st., k. 1.

Rep. this row 41 times more. Change to No. 8 needles. 1*st row*—K. 2*nd row*—P. Rep. these 2 rows 30 times more.

To Shape Armholes.—Cont. in this plain, smooth fabric and cast off 8 sts. at beg. of next 2 rows, then dec. 1 st. each end of needle in the next and each alt. row till 86 sts. rem. Work 7 rows without shaping (end with p. row). Proceed as follows :

1*st row*—K. 1, * k. 1, p. 1, rep. from * to last st., k. 1. Rep. this row 31 times.

Shape shoulders by casting off 8 sts. at beg. of next 4 rows. Cast off.

THE RIGHT FRONT.—Using No. 11 needles, cast on 62 sts. 1*st row*—K. 1, * k. 1, p. 1, rep. from * to last st., k. 1. Rep. this row 3 times more. ** 5*th row*—K. 2, cast off 6 sts., * k. 1, p. 1, rep. from * to last st., k. 1. 6*th row*—K. 1, (k. 1, p. 1) 26 times, k. 1, cast on 6 sts., p. 1, k. 1.

Rep. 1st row 10 times. ** Rep. from ** to ** once, then 5th and 6th once more, then rep. 1st row 4 times. Leave this piece.

THE POCKET.—Using No. 11 needles cast on 28 sts. 1*st row*—K. 1, * k. 1, p. 1, rep. from * to last st., k. 1. Rep. this row 27 times more.

Now, taking work that was left : 1*st row*—K. 1, (k. 1, p. 1) 12 times, k. 1, cast off 28 sts., (k. 1, p. 1) 3 times, k. 1. 2*nd row*—K. 1, (k. 1, p. 1) 3 times, k. 1. Now work 28 pocket sts. in place of those cast off, i.e. (p. 1, k. 1) 14 times, then work to end of row, (p. 1, k. 1) 13 times.

1*st row*—K. 1, * k. 1, p. 1, rep. from * to last st., k. 1. Rep. this row 3 times.

Work another buttonhole as 5th and 6th rows. Change to No. 8 needles.

1*st row*—K. 1, (k. 1, p. 1) 4 times, k. to end. 2*nd row*—P. to last 9 sts., (k. 1, p. 1) 4 times, k. 1. Rep. these 2 rows once more.

* 5*th row*—K. 1, (k. 1, p. 1) 4 times, k. 2 tog., k. to end. 6*th row*—As 2nd row. 7*th and* 8*th rows*—as 1st and 2nd rows *.

Rep. from * to * till 48 sts., then 5th, 6th, and 7th rows once again.

To Shape Armhole.—With wrong side of work facing, cast off 8 sts., p. to last 9 sts., (k. 1, p. 1) 4 times, k. 1. Cont. in plain, smooth fabric with ribbed border and dec. 1 st. inside border in next and every following 4th row, *at the same time* dec. 1 st. at end of needle in next and each alt. row till 28 sts. rem. Then work 7 rows without any shaping. With right side of work facing : 1*st row*—K. 1, * k. 1, p. 1, rep. from * to last st., k. 1. Rep. this row 36 times.

To Shape Shoulder.—With wrong side of work

(*Continued on page* 15)

TAILOR TRIM

MATERIALS.—9 oz. "Golden Eagle" Suede wool. A pair of No. 8 and No. 12 "Stratnoid" knitting needles. Two buttons and a brooch or clip.

Measurements.—Length from shoulder, 19 ins. Width all round at underarms, 34 ins., stretching to 36 ins. Sleeve seam, 18 ins.

Tension.—Worked at a tension to produce 7 sts. in width and 9 rows in depth to one inch.

THE FRONT.—Using No. 8 needles cast on 120 sts. K. 4 plain rows. Then begin ptn. 1*st row*—* K. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2, k. 2 tog., wl. fwd., rep. from * to last st., k. 1. 2*nd and* 4*th rows*—* P. 3, k. 2, p. 2, rep. from * to last st., p. 1. 3*rd row*—* K. 3, p. 2, k. 2, rep. from * to last st., k. 1. Rep. these 4 rows 7 times more.

Change to No. 12 *needles.* Rep. 3rd and 4th rows 6 times. *Change to No.* 8 *needles.* Rep. 4 ptn. rows 4 times. Cont. as follows: 1*st row*—(K. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2, k. 2 tog., wl. fwd.) 6 times, k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2, (k. 5, p. 2) 4 times, k. 2 tog., wl. fwd., (k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2, k. 2 tog., m. 1) 6 times, k. 1.

2*nd, 3rd, and* 4*th rows*—Same as ptn. rows. Rep. these last 4 rows 7 times more. Proceed as follows: 1*st row*—(K. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2, k. 2 tog., wl. fwd.) 4 times, k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2, (k. 5, p. 2) 8 times, k. 2 tog., wl. fwd., (k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2, k. 2 tog., wl. fwd.) 4 times, k. 1.

2*nd, 3rd, and* 4*th rows*—Same as ptn. rows. Rep. these last 4 rows twice more.

To Shape Armholes.—1*st row*—Cast off 8 sts., k. 1, p. 2, (k. 2 tog., wl. fwd., k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2) 3 times, (k. 5, p. 2) 8 times, (k. 2 tog., wl. fwd., k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2) 4 times, k. 2 tog., wl. fwd., k. 1.

2*nd row*—Cast off 8 sts., p. 1, * k. 2, p. 5, rep. from * to last 4 sts., k. 2, p. 2.

3*rd row*—K. 1, p. 2 tog., p. 1, * k. 5, p. 2, rep. from * to last 9 sts., k. 5, p. 1, p. 2 tog., k. 1. 4*th row*—P. 1, * k. 2, p. 5, rep. from * to last 3 sts., k. 2, p. 1. 5*th row*—K. 1, p. 2 tog., k. 2 tog., wl. fwd., k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2, (k. 5, p. 2) 12 times, k. 2 tog., wl. fwd., k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2 tog., k. 1. 6*th row*—K. 2, * p. 5, k. 2, rep. from * to end. 7*th row*—K. 1, k. 2 tog., k. 4, * p. 2, k. 5, rep. from * to last 9 sts., p. 2, k. 4, k. 2 tog., k. 1. 8*th row*—K. 1, * p. 5, k. 2, rep. from * to last 6 sts., p. 5, k. 1. 9*th row*—K. 1, k. 2 tog., k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2, * k. 5, p. 2, rep. from * to last 6 sts., k. 2 tog., wl. fwd., k. 1, k. 2 tog., k. 1. 10*th row*—P. 5, * k. 2, p. 5, rep. from * to end (96 sts. rem.).

(*Continued on next page*)

AN attractive combination of plain and fancy ribbing is used for this trimly-fitted little jumper.

TAILOR TRIM

(*Continued from page* 13)

11*th row*—K. 5, * p. 2, k. 5, rep. from * to end. 12*th row*—As 10th row. 13*th row*—K. 2 tog., wl. fwd., k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2, * k. 5, p. 2, rep. from * to last 5 sts., k. 2 tog., wl. fwd., k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o. Rep. from 10th to 13th rows once more. Rep. 10th and 11th rows 12 times more, and 10th row once.

To Shape Neck.—(K. 5, p. 2) 5 times, k. 3, cast off 20 sts., k. 2, (p. 2, k. 5) 5 times. Work on the last 38 sts. as follows. 1*st row*—(P. 5, k. 2) 5 times, p. 3. Cont. in ribbing and dec. 1 st. at beg. of next and each alt. row till 32 sts. rem. To shape shoulder: 1*st row*—(Armhole edge) Cast off 10 sts., work in rib to end.

2*nd row*—Dec. 1 st. at beg. of row. Rep. 1st and 2nd rows once. Cast off. Join wool at centre and work 1 row. Cont. in ribbing and dec. 1 st. at *end* of next and each alt. row till 33 sts. rem.

To Shape Shoulder.—1*st row*—Cast off 10 sts. at beg. of next row (armhole edge) and dec. 1 st. at end of row. 2*nd row*—Work back in ribbing. Rep. 1st and 2nd rows once more. Cast off.

THE BACK.—Using No. 8 needles cast on 120 sts. Work as for Front till changing back to No. 8 needles. Rep. 4 ptn. rows 15 times.

To Shape Armholes.—1*st row*—Cast off 8 sts., k. 1, p. 2, * k. 2 tog., wl. fwd., k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2, rep. from * to last 3 sts., k. 2 tog., wl. fwd., k. 1. 2*nd row*—Cast off 8 sts., p. 1, * k. 2, p. 5, rep. from * to last 4 sts., k. 2, p. 2. 3*rd row*—K. 1, p. 2 tog., p. 1, * k. 5, p. 2, rep. from * to last 9 sts., k. 5, p. 1, p. 2 tog., k. 1. 4*th row*—P. 1, * k. 2, p. 5, rep. from * to last 3 sts., k. 2, p. 1. 5*th row*—K. 1, p. 2 tog., * k. 2 tog., wl. fwd., k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2, rep. from * to last 8 sts., k. 2 tog., wl. fwd., k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2 tog., k. 1. 6*th row*—K. 2, * p. 5, k. 2, rep. from * to end. 7*th row*—K. 1, k. 2 tog., k. 4, * p. 2, k. 5, rep. from * to last 9 sts., p. 2, k. 4, k. 2 tog., k. 1. 8*th row*—K. 1, * p. 5, k. 2, rep. from * to last 6 sts., p. 5, k. 1.

9*th row*—K. 1, k. 2 tog., * k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2, k. 2 tog., wl. fwd., rep. from * to last 4 sts., k. 1, k. 2 tog., k. 1.

10*th row*—P. 5, * k. 2, p. 5, rep. from * to end (96 sts. rem.). 11*th row*—K. 5, * p. 2, k. 5, rep. from * to end. 12*th row*—As 10th row. 13*th row*—* K. 2 tog., wl. fwd., k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o., p. 2, rep. from * to last 5 sts., k. 2 tog., wl. fwd., k. 1, wl. fwd., sl. 1, k. 1, p.s.s.o. Rep. from 10th to 13th rows once more. Cont. right across row in plain ribbing (not lacy pattern) till armhole measures ½-inch less than front armhole. Shape for shoulders by casting off 10 sts. at beg. of next 4 rows. Cast off rem. sts.

THE SLEEVES (*both alike*).—Beg. at lower edge, using No. 8 needles cast on 50 sts. and k. 4 plain rows. Work 4 ptn. rows 4 times. Cont. in plain ribbing and inc. 1 st. at each end of needle in next and every following 6th row till there are 90 sts. Then inc. 1 st. at each end of needle in every following 4th row till there are 98 sts. Shape top by dec. 1st. at each end of needle in next and every alt. row till 70 sts. rem., then dec. 1st. at each end of every row till 58 sts. Cast off.

THE TIE.—Using No. 8 needles cast on 22 sts. and k. 4 rows. Rep. 4 ptn. rows 19 times, then 1st ptn. row once. K. 4 plain rows. Cast off. Work another piece exactly the same.

The Making Up.—Press each piece carefully. Sew side and sleeve seams. Sew shoulders, leaving an opening of just over 1 inch at each side of neck. Insert sleeves, working extra fullness into gathers at top of sleeve. Sew tie pieces to each side of front neck, then tie loosely and stitch in position. Make a buttonhole loop at each side of front neck and sew buttons on back to correspond. Pin brooch at centre of tie.

TO WEAR WITH YOUR SUIT

(*Continued from page* 10)

To Shape Shoulder.—115*th row*—Cast off 4 sts., k. 2, work as 3rd row from * to end. 116*th row*—P. 1, then k. 1 and p. 2 to last 2 sts., k. 2 tog. 117*th row*—Cast off 3 sts., k. 2, work as 1st row from * to end. 118*th row*—P. 2 and k. 1 to last 2 sts., p. 2 tog. Rep. last 4 rows until all sts. are dec.

THE SLEEVES (*both alike*).—Using No. 10 needles, cast on 46 sts. and work in k. 1, p. 1 rib for 4 rows. Change to No. 8 needles and rep. the 4 ptn. rows twice. Now work as back from 17th to 32nd rows seven times (88 sts. on needle). Shape top by rep. 65th to 76th rows of back until 20 sts. rem. Cast off.

The Collar.—Cast on 112 sts. on No. 10 needles and work in k. 1, p. 1 rib for 4 rows. Change to No. 8 needles and rep. the 4 ptn. rows 6 times. Change back to No. 10 needles and cast on 34 sts. at beg. of the next 2 rows. Work 2 more rows in ribbing. Cast off in ribbing.

The Belt.—Using No. 10 needles, cast on 30 sts. and work in k. 1, p. 1 rib for 27 ins., after being well stretched and pressed, then dec. 1 st. at each end of every row until all sts. are dec.

To Make Up.—Press wrong side. Join shoulders. Sew sleeves into armholes. Sew the 34 cast-on sts. down each side of collar easing in at lower corners. Press seams. Join underarm and side seams. Join wool to top of neck opening and pick up and draw through with a No. 10 needle the sts. down left side of front opening for plackets. Work 3 rows in k. 1, p. 1 rib. Cast off in rib. Pick up all sts. up right side for the placket, then work as follows: 1*st row*—K. 1, p. 1, cast off in rib next 4 sts. (for buttonhole), rib 6 sts., cast off 4 sts. (for buttonhole), rib to end. Rib 2 more rows, casting on 4 sts. in place of those cast off. Cast off in rib. Catch down at lower edges. Sew on collar. Press seams. Sew 2 buttons on left front to correspond with buttonholes, then sew rem. 4 buttons down centre front to correspond with these two. Sew buckle to straight end of belt. Make buttonhole loops on side seams for belt.

A BLOUSE FOR BEST

(*Continued from page* 8)

back on to the left-hand needle, then k. 4 *. Rep. from * to * 4 times, k. 20, then rep. from * to * 5 times, k. 30. 12*th row*—K. 1, p. 26, k. 3, p. 20, k. 3, p. 14, k. 3, p. 20, k. 3, p. 26, k. 1. Rep. 9th to 12th rows inclusive, until 5 ins. have been worked from beg., then change to No. 9 needles and work in ptn. until 10 ins. has been worked from commencement, finishing after a 12th row. Proceed in ptn. as follows: 1*st row*—As 9th row. 2*nd row*—Work first 50 sts. as for 10th row, k. 20, work another 50 sts. as 10th row. 3*rd row*—As 11th row. 4*th row*—K. 1, p. 26, k. 3, p. 20, k. 20, p. 20, k. 3, p. 26, k. 1. Rep. these 4 rows once more. Now divide the sts. in half, and work on the first 60 sts. in ptn. for left half of front, keeping centre 10 sts. in garter-st. until ptn. panel is same length as for back, finishing after a 3rd ptn. row. *Next row*—K. 33, p. 26, k. 1. K. next row. Rep. these 2 rows 3 times more.

To Shape Armhole.—1*st row*—K. 10, p. to last st., k. 1. 2*nd row*—Cast off 5 sts., k. to end. Rep. these 2 rows once more. Now, keeping centre 10 sts. in garter-st. and remainder in st.-st., k. 2 tog. at armhole edge on next 2 rows, leaving 48 sts. on needle. Cont. without further dec., until work measures 16½ ins., finishing at neck edge. *Next row*—Cast off 12 sts., and work to end of row. Then k. 2 tog. at neck end on every row until 28 sts. rem. Work 6 rows on these sts., then starting at armhole edge * cast off 7 sts. at beg. of next row, work to neck and back again to cast-off sts. Rep. from * until all sts. are cast off.

Return to the rem. 60 sts., transfer them on to a No. 9 needle, point towards centre front, join in wool at neck edge, and work up this side to correspond with the left side just completed. The armhole shaping will start on the wrong side of work and the neck shaping on the right side.

THE SLEEVES (*both alike*).—Cast on 90 sts. with No. 10 needles. Work 15 rows in k. 1, p. 1 rib. Change to No. 9 needles. 1*st row*—K., inc. 1 st. in every 9th st. (100 sts.).

2*nd row*—K. 1, p. to last st., k. 1. 3*rd row*—K. Rep. 2nd and 3rd rows until work measures 5½ ins. from commencement. *Next row*—Cast off 4 sts., k. to end. *Next row*—Cast off 4 sts., p. to end. Now cont. in st.-st., k. 2 tog. at beg. and end of every row until 30 sts. rem. Cast off.

THE COLLAR.—Cast on 112 sts. on No. 10 needles. Proceed as follows: 1*st row*—K. 4, (m. 1, k. 2 tog.) to last 4 sts., k. 4. 2*nd row*—K. 4, (* p. wrapping wool twice round needle on every st.). Rep. from * to last 4 sts., k. 4. 3*rd row*—K. 4, then work as given in * to * of 11th row of back to last 4 sts., k. 4. 4*th row*—K. 4, p. to last 4 sts., k. 4. Rep. these 4 rows 3 times more, then first 3 rows. *Next* 6 *rows*—K. Cast off.

To Make Up.—Press all pieces carefully. Stitch up side, shoulder and sleeve seams, and sew in sleeves. Sew Zip fastener in front vent and stitch in collar. Slot elastic through holes.

A COSY CARDIGAN

(*Continued from page* 12)

facing, cast off 8 sts. at beg. of next row and next alt. row, then cast off 4 sts. at beg. of next alt. row. Rib for 2¼ ins. on rem. 8 sts. Cast off.

THE LEFT FRONT.—Using No. 11 needles, cast on 62 sts. 1*st row*—* K. 1, p. 1, rep. from * to last 2 sts., k. 2.

Rep. this row 33 times. Leave this piece.

The Pocket.—Using No. 11 needles, cast on 28 sts. 1*st row*—* K. 1, p. 1, rep. from * to last 2 sts., k. 2. Rep. this row 27 times. Go back to piece left, and proceed as follows:

1*st row*—(K. 1, p. 1) 4 times, cast off 28 sts., (p. 1, k. 1) 12 times, k. 1. 2*nd row*—(K. 1, p. 1) 13 times, now rib 28 sts., of pocket in place of those cast off, finish row (k. 1, p. 1) 3 times, k. 2. 3*rd row*—* K. 1, p. 1, rep. from * to last 2 sts., k. 2. Rep. this row 5 times.

Change to No. 8 needles. 1*st row*—K. to last 9 sts., (p. 1, k. 1) 4 times, k. 1. 2*nd row*—(K. 1, p. 1) 4 times, k. 1, p. to end. Rep. these 2 rows once.

Now cont. in plain, smooth fabric and dec. 1 st. inside ribbed border in next and every following 4th row till 47 sts. rem. Work 1 row, ending on a p. row.

To Shape Armhole.—1*st row*—Cast off 8 sts., k. to last 9 sts., (p. 1, k. 1) 4 times, k. 1. 2*nd row*—(K. 1, p. 1) 4 times, k. 1, p. to end. Cont. and dec. 1 st. in next and every alt. row at armhole edge (beginning of needle) *at the same time* dec. 1 st. inside border in next and every following 4th row till 28 sts. rem. Work 7 rows without shaping. With right side of work facing: 1*st row*—* K. 1, p. 1, rep. from * to last 2 sts., k. 2. Rep. this row 35 times more.

To Shape Shoulder.—Cast off 8 sts. at beg. of next row, and next alt. row, then cast off 4 sts. at beg. of next alt. row. Rib for 2¼ ins. on rem. 8 sts. Cast off.

Piece for top of pockets.—Using No. 11 needles, cast on 8 sts. 1*st row*—K. 1, (k. 1, p. 1) 3 times, k. 1. Rep. this row 34 times, cast off.

Work another piece in the same way for the right front.

THE SLEEVES (*both alike*).—Using No. 11 needles cast on 54 sts. 1*st row*—K. 1, * k. 1, p. 1, rep. from * to last st., k. 1. Rep. this row 41 times more. Change to No. 8 needles.

1*st row*—K. 1, * (k. 1, p. 1) 6 times, inc. in next st., (p. 1, k. 1) 6 times, inc. in next st., rep. from * once, then k. 1 (58 sts.). 2*nd row*—P. 3*rd row*—K. Rep. 2nd and 3rd rows once more, then 2nd row again. Cont. in this plain, smooth fabric and inc. 1 st. each end of needle in next and every following 6th row till 80 sts. are on needle, then inc. every following 8th row till 88 sts. Work 7 rows without shaping. Shape top of sleeve: Cast off 2 sts. at beg. of every row till 32 sts. rem. Cast off.

To Make Up.—Press each piece carefully. Sew side, shoulder, and sleeve seams and insert sleeves. Join tabs at back of neck and sew along back neck. Stitch pockets in position at back. Sew bands on top of pockets, leaving a space in centre for buttonholes. Sew on buttons.

WITH A JABOT FRONT

(*Continued from page* 4)

then cont. in ptn. and inc. 1 st. at each end of next row and on every 16th row following until there are 119 sts. on needle. Work 15 rows after last inc.

To Shape Armhole.—Work shaping same as for back until 87 sts. rem., finishing after a 4th ptn. row.

Now divide for Neck. *Next row*—Ptn. 43 sts., join on another ball, k. 2 tog., ptn. to end. *Next row*—Ptn. to centre; change wool and ptn., to armhole. Cont. working in ptn. in this manner on these two sets of sts., dec. 1 st. at each side of neck edge on the next row and on every 4th row following until 2 sets of 30 sts. rem. Work without further shaping until armhole measures 7 ins. from beg. of armhole shaping, finishing with right side towards you.

To Shape Shoulders.—Cast off 6 sts. at beg. of every row until all sts. are cast off.

THE SLEEVES (*both alike*).—Using No. 11 needles, cast on 54 sts. and work in k. 1, p. 1 ribbing for 3½ ins., inc. 1 st. at end of last row (55 sts.). Change to No. 9 needles and proceed in ptn. as follows: 1*st row*—Moss-st. 22, k. 11, moss-st. 22. 2*nd row*—Moss-st. 22, p. 11, moss-st. 22. Rep. last 2 rows once. 5*th row*—Moss-st. 22, k. 5, wl. fwd., k. 2 tog., k. 4, moss-st. 22. 6*th row*—Rep. 2nd row. 7*th row*—Moss-st. 22, k. 3, k. 2 tog., wl. fwd., k. 1, wl. fwd., k. 2 tog., k. 3, moss-st. 22. 8*th row*—Rep. 2nd row. These 8 rows form ptn. Rep. them once, then cont. in ptn. and inc. 1 st. at each end of next row and on every 8th row following until 75 sts. are on needle (working the extra sts. in moss-st.); then on every 4th row until there are 99 sts. Work 3 rows after last inc. Shape top by casting off 2 sts. at beg. of next 6 rows, then dec. 1 st. at beg. of next 42 rows, then cast off 4 sts. at beg. of next 6 rows. Cast off.

THE FRILL.—With No. 11 needles, cast on 160 sts. and work in k. 1, p. 1 rib for 8 rows. Change to No. 9 needles and work one row in k. 4, p. 4 rib. Shape as follows: 1*st row*—* K. twice into last st., k. 3, p. 4. Rep. from * to end. 2*nd row*—* K. twice into 1st st., k. 3, p. 5. Rep. from * to end. 3*rd row*—* K. twice into 1st st., k. 4, p. 5. Rep. from * to end. 4*th row*—* K. twice into 1st st., k. 4. p. 6. Rep. from * to end. 5*th row*—* K. twice into 1st st., k. 5, p. 6. Rep. from * to end.

6*th row*—* K. twice into 1st st., k. 5, p. 7. Rep. from * to end. 7*th row*—* K. twice into 1st st., k. 6, p. 7. Rep. from * to end.

8*th row*—* K. twice into 1st st., k. 6, p. 8. Rep. from * to end. 9*th row*—* K. twice into 1st st., k. 7, p. 8. Rep. from * to end. Cast off as follows: * K. 2 tog., then sl. the st. from right-hand needle back on to left-hand needle and rep. from * to end. Make another frill in the same manner.

The Centre Strip.—With No. 11 needles, cast on 14 sts. and work in k. 1, p. 1 rib for 9½ ins., then divide for neck. *Next row*—Rib 5, k. 2 tog., turn. Now dec. 1 st. at opening on every row until all sts. are cast off. Join wool at centre and work up this side to match.

To Make Up.—Press on wrong side. Join shoulders. Gather up top of each sleeve to fit armhole and then insert into armholes. Sew up side and sleeve seams. Join frill and place seam at centre back. Stitch round neck and down front leaving about one inch apart down centre, then sew strip down centre and sew on buttons.

THE COVER DESIGN

(*Continued from page* 2)

on every 6th row following until 9 extra sts. are at each end of needle. Work extra sts. in moss-st. Proceed without further shaping until sleeve measures 18 ins. from commencement. Shape top as follows: Cast off 8 sts. at beg. of next 2 rows, then k. 2 tog. beg. of every row until 31 sts. rem. Cast off 4 sts. beg. of next 4 rows, then cast off rem. sts.

THE COLLAR.—Using No. 11 needles, cast on 220 sts. 1*st row*—Sl. 1, * k. 1, p. 1. Rep. from * to end of row. 2*nd row*—Sl. 1, * p. 1, k. 1. Rep. from * to end of row. Rep. these 2 rows once. 5*th row*—Cast off 1 st., rib until 3 sts. rem., p. 2 tog., k. 1. Rep. last row until 177 sts. rem. *Next row*—Cast off 3 sts., rib until 3 sts. rem., p. 2 tog., k. 1. Rep. last row 3 times more. Cast off tightly in k. 1, p. 1 rib.

1*st tab*—Cast on 41 sts. on No. 11 needles. 1*st row*—Sl. 1, * k. 1, p. 1, rep. from * to end of row. 2*nd row*—Sl. 1, * p. 1, k. 1, rep. from * to end of row. Rep. these 2 rows 14 times more (30 rows). * *Next row*—Sl. 1, p. 2 tog., rib until 3 sts. rem., p. 2 tog., k. 1. Rib next 2 rows. Rep. these 3 rows until 21 sts. rem. Work another 4 rows in rib, then cast off *.

2*nd tab*—Cast on 41 sts. on No. 11 needles and work as for 1st tab for 20 rows. Cont. as for 1st tab from * to *.

3*rd tab*—Cast on 41 sts. on No. 11 needles and work as for 1st tab for 10 rows. Cont. as for 1st tab from * to *.

To Make Up.—Sew up side seams and join shoulders. Sew up sleeves and sew in place, putting sleeve seam to side seam, and centre of top to shoulder seam. Sew collar round neck meeting at front. Now sew on longest tab first, then 2nd, then 3rd, as shown in photograph.

IMPORTANT

Follow the directions carefully and use the wools and needles specified for all garments in this booklet if you want to be sure of the same result. The slightest variation in either makes an appreciable difference in the size of the jumper or cardigan.

Measure your work from time to time as the work proceeds, but press it first as the knitting stretches a little after pressing. Garter-stitch and fancy patterns stretch downwards more than stocking-stitch, and this should be borne in mind. Neglect of measuring will result in a garment much longer than it should be.